



LightBox

Find Us on: light-box.pl

CUSTOM COSTUMER


CUSTOM FOAM INSERT



Indywidualne rozwiązanie zaprojektowane specjalnie dla Twojego sprzętu. Twarda pianka (28 kg/m³) wycinana CNC doskonale zabezpieczy zawartość i pozwoli lepiej ją zorganizować.

A customised solution designed specifically for your equipment. Hard foam (28 kg/m³) CNC-cut for perfect protection and better organisation.


CUBED FOAM INSERT



Uniwersalna miękka pianka do własnej adaptacji wnętrza. Każdy zestaw pianki "Cubed Foam" składa się z kilku warstw. Pianka jest wstępnie nacięta, aby ułatwić Twoją pracę.

Universal soft foam for personal use. Each "Cubed Foam" set consists of several layers. The foam is pre-cut to make your work easier.

INDIVIDUAL SOLUTIONS



Nasze produkty LightBox dostosowane do Twoich potrzeb. Indywidualna zabudowa wnętrza, drukowane logo, wentylatory, złącza audio/video itp.

Our LightBox products adapted to your needs. Individual interior design, printed logo, cooling fans, audio/video sockets, etc.

Find Us on: light-box.pl

LightBox

NIEZAWODNA OCHRONA W KAŻDYCH WARUNKACH

LightBox to propozycja wodoszczelnych skrzyń, waliz, kufrów stworzona aby zapewnić doskonałą ochronę w każdych warunkach.

Odporność na wodę, kurz, wstrząsy, uderzenie potwierdzone certyfikatami:

- IP67,
- ATA 300 kat.1,
- STANAG 4280-DEF STAN 81-41,
- MILSTD 810,
- UN4H2

LightBox is a range of waterproof cases, suitcases and trunks designed to provide excellent protection in all environments. Resistance to water, dust, shock and impact is certified.



DUST PROOF




SHOCK PROOF



WATER PROOF



VIBRATION
TEST



TEMPERATURE
TEST (+90°C)
-30°C



AIR CARRIAGE



LIGHTBOX PRODUCT LIST 1/2

Strona PAGE	MODEL	Wymiary zewnętrzne External dimensions	Wymiary wewnętrzne Internal dimensions	Głębokość pokrywy Cover depth	Głębokość dna Bottom depth	Waga Weight
06	LT001	175 × 115 x H47 mm	157 × 82 x H41 mm	12 mm	29 mm	0,14 kg
07	LT002	230 × 175 x H53 mm	212 × 140 x H47 mm	14 mm	33 mm	0,28 kg
08	LT003	350 × 230 x H59 mm	316 × 195 x H53 mm	16 mm	37 mm	0,52 kg
09	LT004	350 × 230 x H86 mm	316 × 195 x H81 mm	16 mm	65 mm	0,58 kg
10	LT005	309 × 128 x H71,5 mm	292 × 92 x H65 mm	13,5 mm	51,5 mm	0,28 kg
11	LT200	223 × 172 x H102 mm	200 × 125 x H90 mm	21,5 mm	68,5 mm	0,56 kg
12	LT235H105	258 × 243 x H117,5 mm	235 × 180 x H106 mm	25 mm	81 mm	0,84 kg
13	LT235H155	258 × 243 x H167 mm	235 × 180 x H156 mm	25 mm	131 mm	1,00 kg
14	LT300	336 × 300 x H148 mm	300 × 225 x H132 mm	33 mm	99 mm	1,62 kg
15	LT380H115	414 × 345 x H129 mm	380 × 270 x H115 mm	36 mm	79 mm	1,86 kg
16	LT380H160	414 × 345 x H174 mm	380 × 270 x H160 mm	36 mm	124 mm	2,20 kg
17	LT400	456 × 290 x H318 mm	400 × 230 x H260 mm	47,5 mm	212,5 mm	2,44 kg
18	LT430	464 × 366 x H176 mm	426 × 290 x H159 mm	45 mm	114 mm	2,76 kg
19	LT465H125	502 × 415 x H141 mm	465 × 335 x H125 mm	40 mm	85 mm	2,60 kg
20	LT465H220	502 × 415 x H246 mm	465 × 335 x H220mm	40 mm	180 mm	3,42 kg
21	LT465H220W	502 × 422 x H267 mm	465 × 335 x H220mm	40 mm	180 mm	4,42 kg
22	LT505	555 × 428 x H211 mm	500 × 350 x H194 mm	58 mm	136 mm	3,90 kg
23	LT505W	555 × 445 x H258 mm	500 × 350 x H194 mm	58 mm	136 mm	5,00 kg
24	LT505H280	555 × 428 x H306 mm	500 × 350 x H280 mm	58 mm	222mm	4,82kg
25	LT505H280W	555 × 437 x H326 mm	500 × 350 x H280 mm	58mm	222 mm	5,84 kg

LIGHTBOX PRODUCT LIST 2/2

Strona PAGE	MODEL	Wymiary zewnętrzne External dimensions	Wymiary wewnętrzne Internal dimensions	Głębokość pokrywy Cover depth	Głębokość dna Bottom depth	Waga Weight
26	LT520	574 × 361 x H225 mm	520 × 290 x H200 mm	45 mm	155 mm	3,60 kg
27	LT520W	585 × 361 x H238 mm	520 × 290 x H200 mm	45 mm	155 mm	5,10 kg
28	LT540H190	594 × 473 x H215 mm	538 × 405 x H190 mm	50 mm	140 mm	4,76 kg
29	LT540H190W	604 × 473 x H225 mm	538 × 405 x H190 mm	50 mm	140 mm	6,40 kg
30	LT540H245	594 × 473 x H270 mm	538 × 405 x H245 mm	50 mm	195 mm	5,30 kg
31	LT540H245W	604 × 473 x H283 mm	538 × 405 x H245 mm	50 mm	195 mm	6,90 kg
32	LT615	680 × 675 x H393 mm	615 × 615 x H360 mm	60 mm	300 mm	11,00 kg
33	LT615W	680 × 675 x H405 mm	615 × 615 x H360 mm	60 mm	300 mm	12,62 kg
34	LT620H250	687 × 528 x H276 mm	620 × 460 x H250 mm	60 mm	190 mm	6,80 kg
35	LT620H250W	687 × 528 x H286 mm	620 × 460 x H250 mm	60 mm	190 mm	8,44 kg
36	LT620H340	687 × 528 x H366 mm	620 × 460 x H340 mm	60 mm	280 mm	7,80 kg
37	LT620H340W	687 × 528 x H376mm	620 × 460 x H340 mm	60 mm	280 mm	9,40 kg
38	LT630	702 × 406 x H360mm	630 × 335 x H335 mm	80 mm	255 mm	7,20 kg
39	LT750H280	816 × 540 x H306 mm	750 × 480 x H280 mm	60 mm	220 mm	9,30 kg
40	LT750H400	816 × 540 x H426 mm	750 × 480 x H400 mm	60 mm	340 mm	10,56 kg
41	LT800	850 × 440 x H158 mm	800 × 370 x H140 mm	45 mm	95 mm	5,00 kg
42	LT820	880 × 660 x H483 mm	820 × 600 x H450 mm	70 mm	380 mm	14,78 kg
43	LT1090H280-H	1178 × 780 x H330 mm	1090 × 680 x H280 mm	70 mm	210 mm	17.50 kg
44	LT1090H410	1178 × 780 x H447 mm	1090 × 680 x H410 mm	200 mm	210 mm	19.50 kg
45	LT1090H510-H	1178 × 780 x H564 mm	1090 × 680 x H510 mm	70 mm	440 mm	23,00 kg
46	LT1090H640	1178 × 780 x H702 mm	1090 × 680 x H640 mm	200 mm	440 mm	24.80 kg
47	LT1100	1177 × 451 x H158 mm	1100 × 370 x H140 mm	45 mm	95 mm	7,80 kg
48	LT1100H330	1177 × 451 x H348 mm	1100 × 370 x H330 mm	45 mm	285mm	10,90 kg
49	LT1350	1420 × 440 x H168 mm	1350 × 370 x H150 mm	45 mm	105 mm	8,30 kg

Find Us on: light-box.pl



LT001

Technical specification

 175 × 115 x H47 mm

 157 × 82 x H41 mm

 12 + 29 mm

 0,14 kg

 -10 / 80 °C

 Capacity 0.527 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates


IP67



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 12 pc. x carton

 1,95 Kg carton

LightBox

Find Us on: light-box.pl

LT002

Technical specification

 230 × 175 x H53 mm

 212 × 140 x H47 mm

 14 + 33 mm

 0,27 kg

 -10 / 80 °C

 Capacity 1,39 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Certificates

IP67

Shipping & Logistic info

 12 pc. x carton

 3,59 Kg carton

LightBox

Find Us on: light-box.pl

LT003

Technical specification

 350 × 230 x H59 mm

 316 × 195 x H53 mm

 16 + 37 mm

 0,52 kg

 -10 / 80 °C

 Capacity 3,26 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates


IP67



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 6 pc. x carton

 3.56 Kg carton

LightBox

Find Us on: light-box.pl

LT004

Technical specification

 350 × 230 x H86 mm

 316 × 195 x H81 mm

 16 + 65 mm

 0,58 kg

 -10 / 80 °C

 Capacity 4,99 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates


IP67



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4pc. x carton

 2,84 kg carton

LightBox

Find Us on: light-box.pl

LT005

Technical specification

 309 × 128 x H71,5 mm

 292 × 92 x H65 mm

 13,5 + 51,5 mm

 0,28kg

 -10 / 80 °C

 Capacity 1,6 lt



 **Materials:**
POLYPROPYLENE
Nylon

Certificates


IP52



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 15 pc. x carton

 5,00 kg carton

LightBox

Find Us on: light-box.pl

LT200

Technical specification

 223 × 172 x H102 mm

 200 × 125 x H90 mm

 21,5 + 68,5 mm

 0,56 kg

 -51 / 90 °C

 Capacity 2,01 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 8


MILSTD 810



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 2,50 kg carton

LightBox

Find Us on: light-box.pl

LT235H105

Technical specification

 258 × 243 x H117.5 mm

 235 × 180 x H106 mm

 25 + 81 mm

 0,84 kg

 -51 / 90 °C

 Capacity 4,48 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 3,80 kg carton

LightBox

Find Us on: light-box.pl

LT235H155

Technical specification

 258 × 243 x H167.5 mm

 235 × 180 x H156 mm

 25 + 131 mm

 1,00 kg

 -51 / 90 °C

 Capacity 6,59 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 4,52 kg carton

LightBox

Find Us on: light-box.pl

LT300

Technical specification

 336 × 300 x H148 mm

 300 × 225 x H132 mm

 33 + 99 mm

 1,62 kg

 -51 / 90 °C

 Capacity 8,91 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 7,20 kg carton

LightBox

Find Us on: light-box.pl

LT380H115

Technical specification

 414 × 345 x H129 mm

 380 × 270 x H115 mm

 36 + 79 mm

 1,86 kg

 -51 / 90 °C

 Capacity 11,79lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 2 pc. x carton

 4,32 kg carton

LightBox

Find Us on: light-box.pl

LT380H160

Technical specification

 414 × 345 x H174 mm

 380 × 270 x H160 mm

 36 + 124 mm

 2,20 kg

 -51 / 90 °C

 Capacity 16,41 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300

UN4H2



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 2 pc. x carton

 5,10 kg carton

LightBox

Find Us on: light-box.pl

LT400

Technical specification

 456 × 290 x H318 mm

 400 × 230 x H260 mm

 47.5 + 212.5 mm

 2,44 kg

 -51 / 90 °C

 Capacity 22 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



**Custom
Foam**



**Cube
Foam**

Shipping & Logistic info

 2 pc. x carton

 5,84 kg carton

Light**Box**

Find Us on: light-box.pl

LT430

Technical specification

 464 × 366 x H176 mm

 426 × 290 x H159 mm

 45 + 114 mm

 2,76 kg

 -51 / 90 °C

 Capacity 19,64 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 2 pc. x carton

 6,2 kg carton

LightBox

Find Us on: light-box.pl

LT465H125

Technical specification

 502 × 415 x H141 mm

 465 × 335 x H125 mm

 40 + 85 mm

 2,60 kg

 -51 / 90 °C

 Capacity 19,47 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 3,24 kg carton

LightBox

Find Us on: light-box.pl

LT465H220

Technical specification

 502 × 415 x H246 mm

 465 × 335 x H220 mm

 40 + 180 mm

 3,42 kg

 -51 / 90 °C

 Capacity 34,27 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 4,16 kg carton

LightBox

Find Us on: light-box.pl

LT465H220W

Technical specification

 502 × 415 x H267mm

 465 × 335 x H220 mm

 40 + 180 mm

 4,42 kg

 -51 / 90 °C

 Capacity 34,27 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 5,20 kg carton

LightBox

Find Us on: light-box.pl

LT505

Technical specification

 555 × 428 × 211 mm

 500 × 350 × 194 mm

 58 + 136 mm

 3,90 kg

 -51 / 90 °C

 Capacity 33.95 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 4,62 kg carton

LightBox

Find Us on: light-box.pl

LT505W

Technical specification

 555 × 428 × 211 mm

 500 × 350 × 194 mm

 58 + 136 mm

 5,00 kg

 -51 / 90 °C

 Capacity 33.95 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



**Custom
Foam**



**Cube
Foam**

Shipping & Logistic info

 1 pc. x carton

 5,72 kg carton

Light**Box**

Find Us on: light-box.pl

LT505H280

Technical specification

 555 × 428 x H306 mm

 500 × 350 x H280 mm

 58 + 222 mm

 4,82 kg

 -51 / 90 °C

 Capacity 49 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 5,80 kg carton

LightBox

Find Us on: light-box.pl

LT505H280W

Technical specification

 555 × 428 x H326 mm

 500 × 350 x H280 mm

 58 + 222 mm

 5,84 kg

 -51 / 90 °C

 Capacity 49 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,82 kg carton

LightBox

Find Us on: light-box.pl

LT520

Technical specification

 574 × 361 x H322 mm

 520 × 290 x H200 mm

 45 + 155 mm

 3,60 kg

 -51 / 90 °C

 Capacity 30,16 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 4,60 kg carton

LightBox

Find Us on: light-box.pl

LT520W

Technical specification

 574 × 361 x H238 mm

 520 × 290 x H200 mm

 45 + 155 mm

 5,10 kg

 -51 / 90 °C

 Capacity 30,16 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,00 kg carton

LightBox

Find Us on: light-box.pl

LT540H190

Technical specification

 594 × 473 x H215 mm

 538 × 405 x H190 mm

 50 + 140 mm

 4,76 kg

 -51 / 90 °C

 Capacity 41,40lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


UN4H2



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 5,72 Kg per cartone

LightBox

Find Us on: light-box.pl

LT540H190W

Technical specification

 604 × 473 x H225 mm

 538 × 405 x H190 mm

 50 + 140 mm

 6,40kg

 -51 / 90 °C

 Capacity 41,40lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

UN4H2



 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 7,35 kg carton

LightBox

Find Us on: light-box.pl

LT540H245



Technical specification

 594 × 473 x H270 mm

 538 × 405 x H245 mm

 50 + 195 mm

 5,30 kg

 -51 / 90 °C

 Capacity 53.38 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,30kg carton

LightBox

Find Us on: light-box.pl

LT540H245W

Technical specification

 604 × 473 x H283 mm

 538 × 405 x H245 mm

 50 + 195 mm

 6,90 kg

 -51 / 90 °C

 Capacity 53.38 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 7,90 kg carton

LightBox

Find Us on: light-box.pl

LT615

Technical specification

 680 × 675 x H390 mm

 615 × 615 x H360 mm

 60 + 300 mm

 11,00 kg

 -51 / 90 °C

 Capacity 135 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810



/ wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info



1 pc. x carton



12,90 kg carton

LightBox

Find Us on: light-box.pl

LT615W

Technical specification

 680 × 675 x H390 mm

 615 × 615 x H360 mm

 60 + 300 mm

 12,62 kg

 -51 / 90 °C

 Capacity 135 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 14,50 kg carton

LightBox

Find Us on: light-box.pl

LT620H250

Technical specification

 687 × 528 x H276 mm

 620 × 460 x H250 mm

 60 + 190 mm

 6,80 kg

 -51 / 90 °C

 Capacity 69,75 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 8,06 kg carton

LightBox

Find Us on: light-box.pl

LT620H250W

Technical specification

 687 × 528 x H276 mm

 620 × 460 x H250 mm

 60 + 190 mm

 8,44 kg

 -51 / 90 °C

 Capacity 69,75 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam



Shipping & Logistic info

 1 pc. x carton

 9,64 kg carton

LightBox

Find Us on: light-box.pl

LT620H340

Technical specification

 687 × 528 x H366 mm

 620 × 460 x H340 mm

 60 + 280 mm

 7,80 kg

 -51 / 90 °C

 Capacity 96 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 9,30 kg carton

LightBox

Find Us on: light-box.pl

LT620H340W

Technical specification

 687 × 528 x H376 mm

 620 × 460 x H340 mm

 60 + 280 mm

 9,40 kg

 -51 / 90 °C

 Capacity 96 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 11,22 kg carton

LightBox

Find Us on: light-box.pl

LT630

Technical specification

 702 × 406 x H360 mm

 630 × 335 x H335 mm

 80 + 225 mm

 7,20 kg

 -51 / 90 °C

 Capacity 68 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 8,70 kg carton

LightBox

Find Us on: light-box.pl

LT750H280

Technical specification

 816 × 540 x H306 mm

 750 × 480 x H280 mm

 60 + 220 mm

 9,30 kg

 -51 / 90 °C

 Capacity 100,80 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 10,80 kg carton

LightBox

Find Us on: light-box.pl

LT750H400

Technical specification

 816 × 540 x H426 mm

 750 × 480 x H400 mm

 60 + 340 mm

 10,56 kg

 -51 / 90 °C

 Capacity 144 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 12,32 kg carton

LightBox

Find Us on: light-box.pl

LT800

Technical specification

 850 × 440 x H158 mm

 800 × 370 x H140 mm

 45 + 95 mm

 5,00 kg

 -51 / 90 °C

 Capacity 41,44 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,00 kg carton

LightBox

Find Us on: light-box.pl

LT820

Technical specification

 880 × 660 x H483 mm

 820 × 600 x H450 mm

 70 + 380 mm

 14,78 kg

 -51 / 90 °C

 Capacity 221.4 lt



Materials:
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 16,76 kg carton

LightBox

Find Us on: light-box.pl

LT1090H280-H

Technical specification

 1178 × 780 × 330 mm

 1090 × 680 × 280 mm

 70 + 210 mm

 17.50 kg

 -51 / 90 °C

 Capacity 215 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

MILSTD 810



 / wheels included

Hinged lid (opens at 90°)
with 8 latches or butterfly steel latches configuration;
Removable lid with 12 latches or 12 butterfly steel latches configuration.

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 21,00 kg carton

LightBox

Find Us on: light-box.pl

LT1090H410

Technical specification

 1178 × 780 × 447 mm

 1090 × 680 × 410 mm

 200 + 210 mm

 19.50 kg

 -51 / 90 °C

 Capacity 300 Lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

MILSTD 810




 / wheels included

Removable lid with 12 latches or 12 butterfly steel latches configuration.

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 23,30 kg carton

LightBox

Find Us on: light-box.pl

LT1090H510-H

Technical specification

 1178 × 780 × 564 mm

 1090 × 680 × 510 mm

 70 + 440 mm

 23 kg

 -51 / 90 °C

 Capacity 395 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

MILSTD 810



 / wheels included

Hinged lid (opens at 90°)
with 8 latches or butterfly steel latches configuration;
Removable lid with 12 latches or 12 butterfly steel
latches configuration.



Optional configuration with
x 4 caster wheels.

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 27,80 kg carton

LightBox

Find Us on: light-box.pl



LT1090H640

Technical specification

 1178 × 780 × 702 mm

 1090 × 680 × 640 mm

 200 + 440 mm

 24.80 kg

 -51 / 90 °C

 Capacity 480 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

MILSTD 810



 / wheels included

Removable lid with 12 latches or 12 butterfly steel latches configuration.


Optional configuration with x 4 caster wheels.



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 29,80 kg carton

LightBox

Find Us on: light-box.pl

LT1100

Technical specification

 1177 × 450 x H158 mm

 1100 × 370 x H140 mm

 45 + 95 mm

 7,80 kg

 -51 / 90 °C

 Capacity 56.98 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 9,21 kg carton

LightBox

Find Us on: light-box.pl

LT1100H330

Technical specification

 1177 × 451 x H348 mm

 1100 × 370 x H330 mm

 45 + 285 mm

 10,90 kg

 -51 / 90 °C

 Capacity 130 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 12,82 kg carton

LightBox

Find Us on: light-box.pl

LT1350

Technical specification

 1420 × 440 x H168 mm

 1350 × 370 x H150 mm

 45 + 105 mm

 8,3 kg

 -51 / 90 °C

 Capacity 75 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810



/ wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 9,90 kg carton

LightBox

Find Us on: light-box.pl

CONTACT

LIGHT BOX



LIGHTBOX

Poland

ul. Wierzbowa 5,
05-480 Karczew

info@light-box.pl

+48 22 780 61 71

The 'LightBox' logo is displayed in white text within a white rounded rectangular border. The background of the entire right half of the image is a dark, swirling marbled pattern with shades of black, dark blue, and light blue, resembling liquid or stone.