

The background is a dark, swirling marbled pattern in shades of black, dark blue, and light blue. A white rounded rectangle is centered horizontally, containing the text 'LightBox' in a white sans-serif font. The word 'Light' is in a regular weight, and 'Box' is in a bold weight.

LightBox

Find Us on: light-box.pl

CUSTOM COSTUMER


CUSTOM FOAM INSERT



Indywidualne rozwiązanie zaprojektowane specjalnie dla Twojego sprzętu. Twarda pianka (28 kg/m³) wycinana CNC doskonale zabezpieczy zawartość i pozwoli lepiej ją zorganizować.

A customised solution designed specifically for your equipment. Hard foam (28 kg/m³) CNC-cut for perfect protection and better organisation.


CUBED FOAM INSERT



Uniwersalna miękka pianka do własnej adaptacji wnętrza. Każdy zestaw pianki "Cubed Foam" składa się z kilku warstw. Pianka jest wstępnie nacięta, aby ułatwić Twoją pracę.

Universal soft foam for personal use. Each "Cubed Foam" set consists of several layers. The foam is pre-cut to make your work easier.

INDIVIDUAL SOLUTIONS



Nasze produkty LightBox dostosowane do Twoich potrzeb. Indywidualna zabudowa wnętrza, drukowane logo, wentylatory, złącza audio/video itp.

Our LightBox products adapted to your needs. Individual interior design, printed logo, cooling fans, audio/video sockets, etc.

Find Us on: light-box.pl

LightBox


NIEZAWODNA OCHRONA W KAŻDYCH WARUNKACH

LightBox to propozycja wodoszczelnych skrzyń, waliz, kufrów stworzona aby zapewnić doskonałą ochronę w każdych warunkach.

Odporność na wodę, kurz, wstrząsy, uderzenie potwierdzone certyfikatami:

- IP67,
- ATA 300 kat.1,
- STANAG 4280-DEF STAN 81-41,
- MILSTD 810,
- UN4H2

LightBox is a range of waterproof cases, suitcases and trunks designed to provide excellent protection in all environments. Resistance to water, dust, shock and impact is certified.



LIGHTBOX PRODUCT LIST 1/2

Strona PAGE	MODEL	Wymiary zewnętrzne External dimensions	Wymiary wewnętrzne Internal dimensions	Głębokość pokrywy Cover depth	Głębokość dna Bottom depth	Waga Weight
06	LT001	175 × 115 x H47 mm	157 × 82 x H41 mm	12 mm	29 mm	0,14 kg
07	LT002	230 × 175 x H53 mm	212 × 140 x H47 mm	14 mm	33 mm	0,28 kg
08	LT003	350 × 230 x H59 mm	316 × 195 x H53 mm	16 mm	37 mm	0,52 kg
09	LT004	350 × 230 x H86 mm	316 × 195 x H81 mm	16 mm	65 mm	0,58 kg
10	LT005	309 × 128 x H71,5 mm	292 × 92 x H65 mm	13,5 mm	51,5 mm	0,28 kg
11	LT200	223 × 172 x H102 mm	200 × 125 x H90 mm	21,5 mm	68,5 mm	0,56 kg
12	LT235H105	258 × 243 x H117,5 mm	235 × 180 x H106 mm	25 mm	81 mm	0,84 kg
13	LT235H155	258 × 243 x H167 mm	235 × 180 x H156 mm	25 mm	131 mm	1,00 kg
14	LT300	336 × 300 x H148 mm	300 × 225 x H132 mm	33 mm	99 mm	1,62 kg
15	LT380H115	414 × 345 x H129 mm	380 × 270 x H115 mm	36 mm	79 mm	1,86 kg
16	LT380H160	414 × 345 x H174 mm	380 × 270 x H160 mm	36 mm	124 mm	2,20 kg
17	LT400	456 × 290 x H318 mm	400 × 230 x H260 mm	47,5 mm	212,5 mm	2,44 kg
18	LT430	464 × 366 x H176 mm	426 × 290 x H159 mm	45 mm	114 mm	2,76 kg
19	LT465H125	502 × 415 x H141 mm	465 × 335 x H125 mm	40 mm	85 mm	2,60 kg
20	LT465H220	502 × 415 x H246 mm	465 × 335 x H220mm	40 mm	180 mm	3,42 kg
21	LT465H220W	502 × 422 x H267 mm	465 × 335 x H220mm	40 mm	180 mm	4,42 kg
22	LT505	555 × 428 x H211 mm	500 × 350 x H194 mm	58 mm	136 mm	3,90 kg
23	LT505W	555 × 445 x H258 mm	500 × 350 x H194 mm	58 mm	136 mm	5,00 kg
24	LT505H280	555 × 428 x H306 mm	500 × 350 x H280 mm	58 mm	222mm	4,82kg
25	LT505H280W	555 × 437 x H326 mm	500 × 350 x H280 mm	58mm	222 mm	5,84 kg

LIGHTBOX PRODUCT LIST 2/2

Strona PAGE	MODEL	Wymiary zewnętrzne External dimensions	Wymiary wewnętrzne Internal dimensions	Głębokość pokrywy Cover depth	Głębokość dna Bottom depth	Waga Weight
26	LT520	574 × 361 x H225 mm	520 × 290 x H200 mm	45 mm	155 mm	3,60 kg
27	LT520W	585 × 361 x H238 mm	520 × 290 x H200 mm	45 mm	155 mm	5,10 kg
28	LT540H190	594 × 473 x H215 mm	538 × 405 x H190 mm	50 mm	140 mm	4,76 kg
29	LT540H190W	604 × 473 x H225 mm	538 × 405 x H190 mm	50 mm	140 mm	6,40 kg
30	LT540H245	594 × 473 x H270 mm	538 × 405 x H245 mm	50 mm	195 mm	5,30 kg
31	LT540H245W	604 × 473 x H283 mm	538 × 405 x H245 mm	50 mm	195 mm	6,90 kg
32	LT615	680 × 675 x H393 mm	615 × 615 × 360 mm	60 mm	300 mm	11,00 kg
33	LT615W	680 × 675 x H405 mm	615 × 615 × 360 mm	60 mm	300 mm	12,62 kg
34	LT620H250	687 × 528 x H276 mm	620 × 460 x H250 mm	60 mm	190 mm	6,80 kg
35	LT620H250W	687 × 528 x H286 mm	620 × 460 x H250 mm	60 mm	190 mm	8,44 kg
36	LT620H340	687 × 528 x H366 mm	620 × 460 x H340 mm	60 mm	280 mm	7,80 kg
37	LT620H340W	687 × 528 x H376mm	620 × 460 x H340 mm	60 mm	280 mm	9,40 kg
38	LT630	702 × 406 x H360mm	630 × 335 x H335 mm	80 mm	255 mm	7,20 kg
39	LT750H280	816 × 540 x H306 mm	750 × 480 x H280 mm	60 mm	220 mm	9,30 kg
40	LT750H400	816 × 540 x H426 mm	750 × 480 x H400 mm	60 mm	340 mm	10,56 kg
41	LT800	850 × 440 x H158 mm	800 × 370 x H140 mm	45 mm	95 mm	5,00 kg
42	LT820	880 × 660 x H483 mm	820 × 600 x H450 mm	70 mm	380 mm	14,78 kg
43	LT1100	1177 × 451 x H158 mm	1100 × 370 x H140 mm	45 mm	95 mm	7,80 kg
44	LT1100H330	1177 × 451 x H348 mm	1100 × 370 x H330 mm	45 mm	285mm	10,90 kg
45	LT1350	1420 × 440 × 168 mm	1350 × 370 × 150 mm	45 mm	105 mm	8,30 kg

LT001

Technical specification

 175 × 115 x H47 mm

 157 × 82 x H41 mm

 12 + 29 mm

 0,14 kg

 -10 / 80 °C

 Capacity 0.527 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates


IP67



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 12 pc. x carton

 1,95 Kg carton

LightBox

Find Us on: light-box.pl

LT002

Technical specification

 230 × 175 x H53 mm

 212 × 140 x H47 mm

 14 + 33 mm

 0,27 kg

 -10 / 80 °C

 Capacity 1,39 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 12 pc. x carton

 3,59 Kg carton

LightBox

Find Us on: light-box.pl

LT003

Technical specification

 350 × 230 x H59 mm

 316 × 195 x H53 mm

 16 + 37 mm

 0,52 kg

 -10 / 80 °C

 Capacity 3,26 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates


IP67



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 6 pc. x carton

 3.56 Kg carton

LightBox

Find Us on: light-box.pl

LT004

Technical specification

 350 × 230 x H86 mm

 316 × 195 x H81 mm

 16 + 65 mm

 0,58 kg

 -10 / 80 °C

 Capacity 4,99 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates


IP67



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4pc. x carton

 2,84 kg carton

LightBox

Find Us on: light-box.pl

LT005

Technical specification

 309 × 128 x H71,5 mm

 292 × 92 x H65 mm

 13,5 + 51,5 mm

 0,28kg

 -10 / 80 °C

 Capacity 1,6 lt



 **Materials:**
POLYPROPYLENE
Nylon


Certificates



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material



Custom
Foam



Cube
Foam

Shipping & Logistic info

 15 pc. x carton

 5,00 kg carton

LightBox

Find Us on: light-box.pl

LT200

Technical specification

 223 × 172 x H102 mm

 200 × 125 x H90 mm

 21,5 + 68,5 mm

 0,56 kg

 -51 / 90 °C

 Capacity 2,01 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 8


MILSTD 810



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 2,50 kg carton

LightBox

Find Us on: light-box.pl

LT235H105

Technical specification

 258 × 243 x H117.5 mm

 235 × 180 x H106 mm

 25 + 81 mm

 0,84 kg

 -51 / 90 °C

 Capacity 4,48 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 3,80 kg carton

LightBox

Find Us on: light-box.pl

LT235H155

Technical specification

 258 × 243 x H167.5 mm

 235 × 180 x H156 mm

 25 + 131 mm

 1,00 kg

 -51 / 90 °C

 Capacity 6,59 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 4,52 kg carton

LightBox

Find Us on: light-box.pl

LT300

Technical specification

 336 × 300 x H148 mm

 300 × 225 x H132 mm

 33 + 99 mm

 1,62 kg

 -51 / 90 °C

 Capacity 8,91 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 4 pc. x carton

 7,20 kg carton

LightBox

Find Us on: light-box.pl

LT380H115

Technical specification

 414 × 345 x H129 mm

 380 × 270 x H115 mm

 36 + 79 mm

 1,86 kg

 -51 / 90 °C

 Capacity 11,79lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41


MILSTD 810



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 2 pc. x carton

 4,32 kg carton

LightBox

Find Us on: light-box.pl

LT380H160

Technical specification

 414 × 345 x H174 mm

 380 × 270 x H160 mm

 36 + 124 mm

 2,20 kg

 -51 / 90 °C

 Capacity 16,41 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300

UN4H2



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



**Custom
Foam**



**Cube
Foam**

Shipping & Logistic info

 2 pc. x carton

 5,10 kg carton

Light**Box**

Find Us on: light-box.pl

LT400

Technical specification

 456 × 290 x H318 mm

 400 × 230 x H260 mm

 47.5 + 212.5 mm

 2,44 kg

 -51 / 90 °C

 Capacity 22 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



**Custom
Foam**



**Cube
Foam**

Shipping & Logistic info

 2 pc. x carton

 5,84 kg carton

Find Us on: light-box.pl

LT430

Technical specification

 464 × 366 x H176 mm

 426 × 290 x H159 mm

 45 + 114 mm

 2,76 kg

 -51 / 90 °C

 Capacity 19,64 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 2 pc. x carton

 6,2 kg carton

LightBox

Find Us on: light-box.pl

LT465H125

Technical specification

 502 × 415 x H141 mm

 465 × 335 x H125 mm

 40 + 85 mm

 2,60 kg

 -51 / 90 °C

 Capacity 19,47 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 3,24 kg carton

LightBox

Find Us on: light-box.pl

LT465H220

Technical specification

 502 × 415 x H246 mm

 465 × 335 x H220 mm

 40 + 180 mm

 3,42 kg

 -51 / 90 °C

 Capacity 34,27 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 4,16 kg carton

LightBox

Find Us on: light-box.pl

LT465H220W

Technical specification

 502 × 415 x H267mm

 465 × 335 x H220 mm

 40 + 180 mm

 4,42 kg

 -51 / 90 °C

 Capacity 34,27 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 5,20 kg carton

LightBox

Find Us on: light-box.pl

LT505

Technical specification

 555 × 428 × 211 mm

 500 × 350 × 194 mm

 58 + 136 mm

 3,90 kg

 -51 / 90 °C

 Capacity 33.95 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 4,62 kg carton

LightBox

Find Us on: light-box.pl

LT505W

Technical specification

 555 × 428 × 211 mm

 500 × 350 × 194 mm

 58 + 136 mm

 5,00 kg

 -51 / 90 °C

 Capacity 33.95 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



**Custom
Foam**



**Cube
Foam**

Shipping & Logistic info

 1 pc. x carton

 5,72 kg carton

Light**Box**

Find Us on: light-box.pl

LT505H280

Technical specification

 555 × 428 x H306 mm

 500 × 350 x H280 mm

 58 + 222 mm

 4,82 kg

 -51 / 90 °C

 Capacity 49 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 5,80 kg carton

LightBox

Find Us on: light-box.pl

LT505H280W

Technical specification

 555 × 428 x H326 mm

 500 × 350 x H280 mm

 58 + 222 mm

 5,84 kg

 -51 / 90 °C

 Capacity 49 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,82 kg carton

LightBox

Find Us on: light-box.pl

LT520

Technical specification

 574 × 361 x H322 mm

 520 × 290 x H200 mm

 45 + 155 mm

 3,60 kg

 -51 / 90 °C

 Capacity 30,16 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 4,60 kg carton

LightBox

Find Us on: light-box.pl

LT520W

Technical specification

 574 × 361 x H238 mm

 520 × 290 x H200 mm

 45 + 155 mm

 5,10 kg

 -51 / 90 °C

 Capacity 30,16 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,00 kg carton

LightBox

Find Us on: light-box.pl

LT540H190

Technical specification

 594 × 473 x H215 mm

 538 × 405 x H190 mm

 50 + 140 mm

 4,76 kg

 -51 / 90 °C

 Capacity 41,40lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


UN4H2



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 5,72 Kg per cartone

LightBox

Find Us on: light-box.pl

LT540H190W

Technical specification

 604 × 473 x H225 mm

 538 × 405 x H190 mm

 50 + 140 mm

 6,40kg

 -51 / 90 °C

 Capacity 41,40lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

UN4H2



 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 7,35 kg carton

LightBox

Find Us on: light-box.pl

LT540H245



Technical specification

 594 × 473 x H270 mm

 538 × 405 x H245 mm

 50 + 195 mm

 5,30 kg

 -51 / 90 °C

 Capacity 53.38 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,30kg carton

LightBox

Find Us on: light-box.pl

LT540H245W

Technical specification

 604 × 473 x H283 mm

 538 × 405 x H245 mm

 50 + 195 mm

 6,90 kg

 -51 / 90 °C

 Capacity 53.38 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 7,90 kg carton

LightBox

Find Us on: light-box.pl

LT615

Technical specification

 680 × 675 x H390 mm

 615 × 615 x H360 mm

 60 + 300 mm

 11,00 kg

 -51 / 90 °C

 Capacity 135 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 12,90 kg carton

LightBox

Find Us on: light-box.pl

LT615W

Technical specification

 680 × 675 x H390 mm

 615 × 615 x H360 mm

 60 + 300 mm

 12,62 kg

 -51 / 90 °C

 Capacity 135 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 14,50 kg carton

LightBox

Find Us on: light-box.pl

LT620H250

Technical specification

 687 × 528 x H276 mm

 620 × 460 x H250 mm

 60 + 190 mm

 6,80 kg

 -51 / 90 °C

 Capacity 69,75 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 8,06 kg carton

LightBox

Find Us on: light-box.pl

LT620H250W

Technical specification

 687 × 528 x H276 mm

 620 × 460 x H250 mm

 60 + 190 mm

 8,44 kg

 -51 / 90 °C

 Capacity 69,75 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam



Shipping & Logistic info

 1 pc. x carton

 9,64 kg carton

LightBox

Find Us on: light-box.pl

LT620H340

Technical specification

 687 × 528 x H366 mm

 620 × 460 x H340 mm

 60 + 280 mm

 7,80 kg

 -51 / 90 °C

 Capacity 96 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



**Custom
Foam**



**Cube
Foam**

Shipping & Logistic info

 1 pc. x carton

 9,30 kg carton

Light**Box**

Find Us on: light-box.pl

LT620H340W

Technical specification

 687 × 528 x H376 mm

 620 × 460 x H340 mm

 60 + 280 mm

 9,40 kg

 -51 / 90 °C

 Capacity 96 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810



 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 11,22 kg carton

LightBox

Find Us on: light-box.pl

LT630

Technical specification

 702 × 406 x H360 mm

 630 × 335 x H335 mm

 80 + 225 mm

 7,20 kg

 -51 / 90 °C

 Capacity 68 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 8,70 kg carton

LightBox

Find Us on: light-box.pl

LT750H280

Technical specification

 816 × 540 x H306 mm

 750 × 480 x H280 mm

 60 + 220 mm

 9,30 kg

 -51 / 90 °C

 Capacity 100,80 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 10,80 kg carton

LightBox

Find Us on: light-box.pl

LT750H400

Technical specification

 816 × 540 x H426 mm

 750 × 480 x H400 mm

 60 + 340 mm

 10,56 kg

 -51 / 90 °C

 Capacity 144 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 12,32 kg carton

LightBox

Find Us on: light-box.pl

LT820

Technical specification

 880 × 660 x H483 mm

 820 × 600 x H450 mm

 70 + 380 mm

 14,78 kg

 -51 / 90 °C

 Capacity 221.4 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 16,76 kg carton

LightBox

Find Us on: light-box.pl

LT800

Technical specification

 850 × 440 x H158 mm

 800 × 370 x H140 mm

 45 + 95 mm

 5,00 kg

 -51 / 90 °C

 Capacity 41,44 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810


ATA300



- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 6,00 kg carton

LightBox

Find Us on: light-box.pl

LT1100

Technical specification

 1177 × 450 x H158 mm

 1100 × 370 x H140 mm

 45 + 95 mm

 7,80 kg

 -51 / 90 °C

 Capacity 56.98 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810

ATA300




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 9,21 kg carton

LightBox

Find Us on: light-box.pl

LT1100H330

Technical specification

 1177 × 451 x H348 mm

 1100 × 370 x H330 mm

 45 + 285 mm

 10,90 kg

 -51 / 90 °C

 Capacity 130 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810




 / wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 12,82 kg carton

LightBox

Find Us on: light-box.pl

LT1350

Technical specification

 1420 × 440 x H168 mm

 1350 × 370 x H150 mm

 45 + 105 mm

 8,3 kg

 -51 / 90 °C

 Capacity 75 lt



 **Materials:**
POLYPROPYLENE
Nylon
Polymer
Stainless steel

Certificates

IP67

STANAG 4280 - DEF STAN 81-41

MILSTD 810



/ wheels included

- Watertight seal around lid
- Automatic pressure release valve
- Stackable interlocking system
- Thick body material
- Easy to open double throw latches
- Load tested soft grip handle
- Extra fixing points
- Fully length hinges
- Nylon pins corrosion free



Custom
Foam



Cube
Foam

Shipping & Logistic info

 1 pc. x carton

 9,90 kg carton

LightBox

Find Us on: light-box.pl

CONTACT

LIGHT BOX



LIGHTBOX

Poland

ul. Wierzbowa 5,
05-480 Karczew

info@light-box.pl

+48 22 780 61 71

The 'LightBox' logo is displayed in white text within a white rounded rectangular border. The background of the entire right half of the image is a dark, swirling marbled pattern with shades of black, dark blue, and light blue, resembling liquid or stone.